

	(VI) Teaching Pharmacy and Quality Testing Laboratory as per MSR	Yes	Adequate
	(VIII) Common Rooms: Separate common rooms for boys and girls with adequate space and sitting arrangement shall be available.	Yes	Adequate
4	University Examination Infrastructure: Strong Room for examination a) (Area- 300 sq.ft, b) Shelf, c) Steel cupboard - 1, d) CCTV, Photocopier Machine, Examination hall with benches, Parking Facility for University vehicle. Guest house facility	Yes	Adequate
5	Other facilities: Hospital Waste Management, Medical Education Unit, Intercom Network, Playground, P.T Teacher or Instructor, Cafeteria, Facility for indoor games, Gymnasium / Gymkhana Facility, Is there any LMS (learning management system software) available	Yes	Adequate
6	Hostel facility: Boys (UG & PG), Girls (UG & PG), Interns, Residents, Canteen Facility, Warden/ Rector, Hygiene, Vending Machine etc. [Note: Verify Canteen Facility is monitored as per MUHS Circular No.18/2019 dated 19/03/2019.]	Yes	Adequate
Hospital			
7	Hospital Details	Details on College Website	Adequate/ Inadequate
	Name of the Hospital :GOVERNMENT AYURVED HOSPITAL		Adequate
	Address: VAZIRABAD ,NANDED		Adequate
	Telephone No. :02462234026		Adequate
	Bed Strength : 200	Yes	Adequate
	Distance of Hospital from the College to which it is attached (in kms)	0.1 km	Adequate
	Number of beds registered as per BNH Act	Yes	Adequate
8	I. Total constructed area of Hospital Building as per MSR (48000 / Sq.ft.)	Yes	Adequate
	Whether the Hospital is Owned by the College / Management or Rented ?	Yes	Adequate
	II. Hospital Administration Block as per MSR (Superintendent room, Deputy Superintendent room, Medical officers' room, Matron room, Assistant Matron room, Reception and Registration, etc.)	Yes	Adequate
	III. Out-Patient Departments (OPD) as per MSR Total Area of OPD Complex 10427 Sq.ft. No. of OPD's:-08 Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	IV. In Patient Departments (IPD) as per MSR Total Area of IPD Complex 18546 Sq.ft. No. of IPD Departments-09 Bed Distribution Facilities shall be as per MSR & all details shall be on collegewebsite	Yes	Adequate
	V. Operation Theatres Block as per MSR Total Area of OT Block -4013 sq.ft. No. of OTs available: 03 Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate
	VI. Panchakarma Block as per MSR Total area of Panchakarma Block:- 5100 Sq.ft. No. of Panchakarma section for Male 06 & Female 06 Facilities shall be as per MSR & all details shall be on college website.	Yes	Adequate

VII. Casualty Facilities State Government Permission Letter	Yes	Adequate
VII. Physiotherapy Unit as per MSR	Yes	Adequate
IX. Central Clinical Laboratory: Well-equipped with separate sections for Pathology, Biochemistry and Micro-biology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be provided.	Yes	Adequate
VIII. Radiology or Sonography Section: Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes	Adequate
IX. Labour Room :	Yes	Adequate
X. Hospital Kitchen and Canteen:	Yes	Adequate
XI. Stores/Mortuary:	Yes	Adequate



Dean/ Principal Stamp & Signature

DEAN
GOVT AYURVED COLLEGE
NANDED.